



OTEXIO

PROTECT PEOPLE
AND THE
ENVIRONMENT



CATALOGUE

INNOVATIVE
AND TURNKEY
SOLUTIONS FOR
COLLECTION,
TRANSPORT
AND **STORAGE**



WHO ARE WE ?

YOUR PARTNER AND SUPPLIER FOR WASTE AND BULK MATERIAL MANAGEMENT NEEDS

Thanks to our experts and our integrated engineering office, we **design**, **manufacture**, and **install** solutions to **reduce waste and material scatter** during **collection** and **transportation** (nets, tarpaulins, big bags), ensure their **treatment** and **storage** (anti-litter structures and metal-textile covers for landfill cells), while guaranteeing the **safety** of professionals



RELIABILITY

Our commitment and rigor reflect our determination to durably support our clients as a trusted partner. Across all our fields of expertise, we uphold the same level of demand that strengthens our collective spirit.



ATTENTION

We are committed to standing alongside our clients, closely aligned with their realities and challenges. Every day, we nurture a close relationship with them, on the ground, to advise and guide them throughout their experience.



INNOVATION

Our entrepreneurial spirit, deeply rooted in our DNA, drives us every day and pushes us to challenge our expertise and continuously enhance our offerings. This bold and proactive mindset is one we cultivate with our clients to better advise them and jointly envision long-term success.


ONE POINT OF CONTACT - Custom textile solutions

We simplify our clients' daily operations and **support them** with their **complex challenges and needs**. By offering a **single point of contact** with a comprehensive range of services covering the **entire lifecycle of waste and materials**, we demonstrate our **premium positioning** and ensure **efficiency** and **productivity** for our clients.

CONSOLIDATE YOUR PURCHASES and gain the assurance of quality products, on-time deliveries, and fewer management concerns!

ONE SINGLE POINT OF PURCHASE
ONE SINGLE INVOICE
ONE SINGLE DELIVERY

TIME SAVINGS | COST SAVINGS | PRODUCTIVITY



THE OTEXIO EXPERIENCE CONTINUES ONLINE

Find the complete catalog on our website!




Hundreds of items
available online



Request and Quote
Generation




Ease of Contact



www.otexio.com

OUR STORY



THE OTEXIO CUSTOMER EXPERIENCE



CUSTOMER REVIEWS

LIKE THEM, RELY ON US !

“The **quality** and **availability** of products makes OTEXIO a **reliable** partner.”

CHARLES
Operations Manager

“Their strength : lies in offering solutions that make **our lives easier** ! ”

DAVID
Collection Operator

“They should continue **developing their innovations**, I am not aware of any negatives.”

YACINE
Safety Manager



HUMAN

Ensuring the safety and supporting the daily operations of waste and bulk material operators

SOLUTIONS FOR COLLECTION AND TRANSPORTATION



ENVIRONMENT

Reducing the environmental impact of waste operations and contributing to material recovery

SOLUTIONS FOR BULK STORAGE SITES



QUALITY

Structuring our organization to ensure continuous service and product quality

ISO 9001 AND DEKRA
CERTIFICATIONS



INITIATIVE

Developing virtuous and innovative methods and solutions

ECO-DESIGN
AND ECOVADIS RATING

REUSE - SORTING ON SITE

A WASTE FOR A WASTE

Organize your site differently with our **RESPONSIBLE AND ALTERNATIVE** solutions.

Our integrated supply chain now offers **INDUSTRIAL AND COMMERCIAL PACKAGING (ICP)** for **REUSE**.

EASY TO
INTEGRATE
ON YOUR
SITES

Second hand IBC



Metal drums for waste



Reusable Big Bag



Rainwater recovery tank



Waste Reduction

Resource Preservation

Decluttering Non-Hazardous Waste Bins

Responsible Consumption



DID YOU KNOW ?

We collect your industrial and commercial packaging (ICP)

BIG BAG

PLASTIC & METAL DRUMS

IBC TANK

**Containers
Service**

www.containers-service.eu



OUR INNOVATIONS

TODAY'S INNOVATIONS ARE
YOUR TOMORROW'S NEEDS

FIND OUT OUR FLAGSHIP PRODUCTS

100% secured covering system

LITECOVER®



P. 25

Industrial Packaging

BIG BAG



P. 37

Fixed cover for storage cell

COVERLINE®



P. 71

Secured tarpaulin system on rails

RCOVER®



P. 29

Skip protection liner

PROTECSKIP®



P. 47

OTEXIO'S INNOVATION JOURNEY

IDENTIFICATION OF NEEDS

15 field sales representatives: customer proximity
/ market research / understanding

DESIGN SOLUTION

Integrated design office : prototype / client
testing / alternatives

NEW PRODUCTS AND PATENTS

Innovation and continuous improvement :
security / savings / tailor-made / solutions.

CONTENTS

1.
NETS & TARPS

9	NETS AND TARPS	NETLINE® TARPLINE®
10	NETS FOR SKIP	NETLINE®
11	WATERPROOF TARPS	TARPLINE®
13	NETS AND TARPS FOR COMPACTORS	
15	TARPS FOR SOWING	
17	TRANSPORT ACCESSORIES	
21	PROTECTION NETS	PROTECPIT®

2.
SAFE TARPING SYSTEMS

25	NON-WATERPROOF MOVABLE	LiteCover®
29	WATERPROOF ATTACHED TO THE SKIP	RCOVER® ROLLCOVER® SLIDECOVER®
33	SYSTEM ATTACHED TO THE TRUCK	MAST SYSTEM

3.
INDUSTRIAL PACKAGING

39	INDUSTRIAL PACKAGING	BIG BAGS CONTAINER BAG Frames Spill containment tray Tank Metal drums
----	----------------------	---

4.
SKIP PROTECTION

47	SKIP LINER	PROTECSKIP® PROTECSKIP'BIO
49	LINER	

5.
ANTI-LITTER AND
COVERING

5.1

53	SOLUTIONS FOR BULK STORAGE	OTEX'PERTISE
55	BASE OF STRUCTURES	Walls for storage bay

5.2

59	FENCELINE®	Anti-litter netting structures
----	------------	--------------------------------

71	COVERLINE®	Metal-textile covers
----	------------	----------------------

6
CONTACT US

93	CONTACT OUR OTEX'PERTS TEAM	
----	-----------------------------	--

NETS & TARPS



Nets and Tarps

9 NETLINE® / TARPLINE®

Nets for skip

10 NETLINE®

Waterproof Tarps

11 TARPLINE®

Nets / Compactor Tarps

13 Nets, tarps, and accessories

Nets / Sowing Tarps


15 Moving floor / Flatbed / Apron / Rule / Frames / Semi-rigid

Transport accessories

17 Skips / Trucks / Nets / Tarps

Protection Nets

21 PROTECPIT®



NETS AND TARPS FOR TRANSPORT

Custom made at the best price anywhere in Europe



Adapted to skips from 4 to 90m³

SOLUTION

Whatever the type of waste transported, **OTEXIO** technicians across Europe are available to study your needs with you and advise you on the choice of a net or tarpaulin from our **NETLINE®** and **TARPLINE®** ranges. Quality and durable products over time.

MANUFACTURE
STANDARD

- Perimeter reinforcement, metal eyelets Ø 17 mm placed every 0.50m, perimeter rope in multi-strand bungee cord Ø 8 mm installed, PVC marking square.

PERSONALIZED

- Based on your needs, a technician will visit your site to take measurements and provide you with precise and tailored advice.

Standard dimensions available within 48 / 72 hours:
5 m x 3 m
6 m x 3 m
7 m x 3 m

Custom manufacturing of nets and tarps suited to your need



MADE TO MEASURE

Avoid waste flying onto the tracks and drive safely



SECURITY

Nets that are easy to handle, strong, and durable at the best price



PROFITABILITY

Woven micromesh nets

NETLINE® SUP

The superior quality woven polyethylene net is the most robust net in the micromesh net range




TYPES OF WASTE

METAL • PALETTE • WOOD • PLANT MATERIAL

+ Resistance to tear propagation is quite exceptional and unique in Europe

Ref. **1206_dimensions**



NETLINE® MED


The medium-quality woven polyethylene net is a very good quality net which is perfectly adapted to transporting all types of materials

TYPES OF WASTE

COMMON INDUSTRIAL WASTE • PAPER • CARDBOARD

+ It is flexible and slides easily over the waste. It offers excellent resistance to tear propagation

Ref. **1270_dimensions**



NETLINE® STD


The standard woven micromesh net reference for transport.

TYPES OF WASTE

CARDBOARD • WOOD • PAPER (or for occasional use on more abrasive products)

+ Flexible, easy to handle and store.

Ref. **20-10_dimensions**



Coated micromesh nets


NETLINE® COAT

Core made of polyester multifilament threads coated with PVC and treated for UV resistance, also referred to as « perforated tarpaulins. ».

WASTE TYPES : METALS • PALLETS • WOOD • GREEN WASTE

+ Highly durable with excellent resistance to tear elongation. Easily repairable using PVC patches for gluing.

Ref. **HSK800_dimensions**




NETLINE® COAT

Core made of polyester multifilament threads coated with PVC and treated for UV resistance, also referred to as « perforated tarpaulins. ».


WASTE TYPES : METALS • PALLETS • WOOD • GREEN WASTE

+ These nets are strong, easy to fold, and can be repaired effortlessly. They can be used as skip nets or frame nets.

Ref. **HSK250_dimensions**



Ref. **HSK230_dimensions**




Knitted micromesh net

NETLINE® STAND

The knitted polyethylene net with anti-UV treatment is THE standard reference transport net.

TYPES OF WASTE

CARDBOARD • WOOD • PAPER • PLANT MATERIAL



+ Flexible, easy to handle and store.

Ref. **G1003_dimensions**



Waterproof transport tarps

TARPLINE® 900

Polyester coated with PVC on both sides, anti-UV treatment.

TYPES OF WASTE

IRON • GLASS • PALETTE



900 g / m²

+ Very robust tarp able to withstand the sharpest of waste.

Ref. **B900_dimensions**

TARPLINE®600

Polyester coated with PVC on both sides, anti-UV treatment. This transport tarp is the standard tarp for transporting goods or waste to protect them from rain or snow.

TYPES OF WASTE

INDUSTRIAL WASTE • SLUDGE • PAPER • CARDBOARD • WOOD • METAL



650 g / m²

+ Extremely robust standard tarp for waste transport

Ref. **B600_dimensions**

Coated tarp / hot waste

TARPLINE® BPU

The 100% waterproof high-temperature polyester tarpaulin is highly durable and non-stick. It does not degrade under tearing in an oven at 180°C.

WASTE TYPES

All types of waste, particularly hot waste such as asphalt.



350 g / m²

+ Waterproof and heat-resistant. It withstands temperatures from -50°C to +180°C.

Ref. **BPU_ET_dimensions**

Light transport tarp

TARPLINE® PU

The lightweight water-repellent polyester tarpaulin, coated with PU, is the lightest tarpaulin in our range. It is UV-treated.

WASTE TYPE (non abrasive)

MUD • PAPER • CARDBOARD • WOOD • RUBBLE • HOT WASTE



270 g / m²

+ Lightweight and water-repellent tarpaulin. It withstands temperatures from -30°C to +180°C

Ref. **BPU_dimensions**

Storage tarps

TARPLINE® STOCK 400

Polyester coated with PVC on both sides, anti-UV treatment.

TYPES OF WASTE

INDUSTRIAL WASTE • SEWAGE PLANT SLUDGE • PAPER • CARDBOARD • POLLUTED SOIL • HEAVY METALS • MANURE



400 g / m²

+ Excellent resistance. Perfectly adapted to long-term protection requiring occasional handling.

Ref. **B400_dimensions**

TARPLINE® STOCK 230

Polyethylene coated with polyethylene on both sides. Large sizes available upon request.

TYPES OF WASTE

INDUSTRIAL WASTE • SEWAGE PLANT SLUDGE • PAPER • CARDBOARD • POLLUTED SOIL • HEAVY METALS • MANURE



230 g / m²

+ Very light. Perfectly adapted to short-term protection requiring frequent handling.

Ref. **B230_dimensions**



References available in M0 and M1 versions upon request



NETS, TARPS AND ACCESSORIES

Complete solution for your compactor skips



OTEXIO offers a full range of nets and tarps for compactors (adapted to compactor skips)

- EXAMPLES
- Nets, tarps and LiteCover® for monobloc compactors
 - Fixed nets on compactors with straps and winding bars
 - Specific tarps with sewn strap and integrated gusset

SIMPLIFIED INSTALLATION & MORE SECURE DURING TRANSPORT

optimised pinning accessories

Standard sizes available within 48 / 72 hours :

- 1,80 m x 1,20 m
- 1,80 m x 1,40 m

Custom-made nets and tarps adapted to use



MADE TO MEASURE

Delivery within 48 / 72 hours for standard products in stock



FAST DELIVERY

A top-quality at the best price



PROFITABILITY

nets and tarps

NETLINE® SUP

Technical characteristics - P. 10

Ref. 1206_1.8X1.2

Ref. 1206_1.8X1.4



TARPLINE®600

Technical characteristics - P. 11

Ref. B600_1.8X1.2

Ref. B600_1.8X1.4



Pinning accessories

PINNING CABLE

ideal for pinning in reduced spaces

Ø END CAPS 40 mm PIN 10 mm
WASHER 110 mm



+ The maximum force taken up by a cable is 5,000 kg. We advise you to install two pinning cables per compactor*.

Ref. CABBRO_ENS

8,5 kg | 2,56 m

PINNING BAR

Ø END CAPS 40 mm PIN 10 mm
WASHER 100 mm (for the side opposite the handle) for a better hold



+ The maximum force taken up by a cable is 1,450 kg. We advise you to install two pinning cables per compactor*.

Ref. BRCPR

4,5 kg | 2,5 m



*Only used during transport.

Apron tarps for moving floor trailers

STANDARD REINFORCED TARP

OTEXIO has developped a special apron tarp reinforced with steel threads for moving floors.

Tarps 1.80 m x 2.50 m
Eyelets x2 Ø 40 mm
Material PVC HR
THICKNESS 3 mm

Ref. **B_HR_TAB_STD**

 Available in made-to-measure



Tarps for semi-trailers

We recommend **TARPLINE®PU**, a lightweight tarpaulin that is a very popular for large-scale applications. A fold can be made inside the tarp allowing it to expand to adapt to the height of the load.



Semi-rigid net for transport



NET FOR WAGON

This polypropylene net is ideal for covering and protecting loads during wagon transport or to prevent untimely spillage on tracks

It can also be used for any other type of transport - in protecting the surrounding environment.

Ref. **FILETPPTRANS_30X30**

 40gr/m²  300x4m

APPLICATIONS INDUSTRY • TRANSPORT • RAILWAY

Nets and tarps with side

The system is available as a net or tarp to protect the contents of the skip or semi-trailer. The opening is easily done laterally thanks to the handling handle. It protects the contents of the dumpster or semi-trailer.



FASTENING AND USAGE ACCESSORIES

Supply of all the accessories: side bars, straps + ratchets, tarp stop, flat bars, handle, handling pole.



Frame nets and tarps

Nets and tarps for butterfly closure system or frame for moving floors.



FASTENING AND USAGE ACCESSORIES

Supply of all the accessories : cables, tensioners, tie-craps, cable clamps, eyelets, telesocpic handling pole.



Available in nets and tarps

NETLINE® COAT

Coated micromesh net
Technical characteristics - **P. 10**


Ref. **HSK800_dimensions**
Ref. **HSK400_dimensions**
Ref. **HSK230_dimensions**



NETLINE® SUP

Micromesh net
Technical characteristics - **P. 10**

Ref. **1206_dimensions+renfort**



TARPLINE®PU / FLEXITOP

Light water-repellent tarp
Technical characteristics - **P. 11**

Ref. **BPU_dimensions**
Ref. **BPU_ET_dimensions**



TARPLINE®

waterproof tarp
Technical characteristics - **P. 11**

Ref. **B900_dimensions**
Ref. **B600_dimensions**



Handling poles for nets and tarps



TRADITIONAL HANDLING POLE

MATERIAL Aluminium

+ Light : reduced physical effort

Ref. GAFFE_MANIP_ALU



 1,44 kg
 2,80 m



TELESCOPIC POLE

MATERIAL Aluminium

+ Simple, safe adjustment by pin

Ref. GAFFETELESKO



 2,10 kg
 folded 2.80 m
unfolded 3.70m



MINI TELESCOPIC POLE

MATERIAL Aluminium

+ Eady to handle in reduced spaces

Ref. GAFFETELESKO_MINI



 1,42 kg
 folded 1.65 m
unfolded 2.35m


Logo and PVC prints

BE VISIBLE !

Add your logo on your transport nets and tarps.
Message on white PVC tarp.
Logo sewn on net or welded on tarp.

Ref. LOGO-42X84



 21 cm x 29.7 cm
OR 42 cm x 84 cm

LOGO PRINTED ON TARP

Printing on PVC, available for TARPLINE® and NETLINE® COAT.

Ref. BACHEIMPRIMEE



 MAX
lenght 5 m width 2,8 m

Tool fastening kits



STANDARD FASTENING KIT

MATERIAL Zinc plated steel component

USAGE
One pair for the pole and one pair for the rod



Ref. KITFIX2

SECURE FASTENING KIT

COMPOSITION

1 secured fastener + 1 pair of fasteners + 1 combination padlock

MATERIAL stainless steel

+ Skip anti-theft system

Ref. KITFIX_SECU_ENS



Bungee cord reel

All our references have anti-UV treatment.

PACKAGING
100 m reel

 10 mm

Ref. D10SWBOB



PACKAGING
100 m reel

 8 mm

Ref. D8SWBOB



PACKAGING
100 m reel

 6 mm

Ref. D6SWBOB



Accessories for household waste skips

NET FOR HOUSEHOLD WASTE SKIP

CHARACTERISTICS
Black PES strap reinforcement along the top edge + two 17 mm eyelets set 50 mm from each end of the net

SQUARE MESH 30 mm
Ø **THREAD** 2,5 mm

Ref. **PEPAT2.5_30_BOM**



WASTE SCRAPER POLE

MATERIAL aluminium

CHARACTERISTICS
Foldable in 3 positions + 1 scraper end + 1 spike.

Ref. **GAFFEGRATTEDECHET**



1,4 kg
folded 1,30 m
unfolded 2,30

Skip hooks

MAGNETIC HOOK

Movable skip hook.

WITHSTANDS 75 kg of perpendicular traction / 11,25 kg of parallel traction

Ref. **AIMANTCROCH_D50**



50 mm base
80 mm

SKIP HOOK

THICKNESS
DEPTH 2 mm
HOOK THROAT 30 mm

PACKAGING
Pack of 10 units

Ref. **CROCHET_BENNE**



5 mm drilling
68 mm

Security and signage

SKIP ANTI-THEFT SYSTEM

galvanised steel plate It adapts to all types of skip hooks by a simple, effective locking system. C40X4 steel 3-digit padlock included.



Reflective warning sticker

Ref. **ANTIVOL_BENNE_ENS**

WARNING STICKER

Skip warning sticker.

MESSAGE
"Maximum loading height / Do not climb on the skips"



200 x 7 cm

Ref. **SIGNAL_BENNE**

TRANSPORT STRAPS

We have ratched straps with "J" hooks in stock. Products that meet the EN 12195-2 standard

LASHING 5 T

Ref. **4 m TEND50_4M_DS**

Ref. **9 m TEND50_9M_DS**

Ref. **12 m TEND50_12M_DS**



4 m - 9 m - 12 m

Net and tarp repair kits

REPAIR KIT

Adhesive tape for net repair
10 x 0,20 m roll.

Used to repair tears quickly and easily

Ref. **KITREPARATION**



1 kg / m²
0,6 mm

NEEDLE + THREAD

Used to repair tears.
Reel of polyethylene thread (10 strands) for net repair.

Needle: 13 cm included.

Ref. **KITREPARATION2**



100 ml

EYELET FITTING KIT

Includes a top and bottom set and a hole punch.



17 / 25 / 40 mm
and elongated 40x20 mm

Ref. **OUTILPOSECEIL**

PVC REPAIR KIT

Translucent PVC adhesive tape for tarp repair

Ref. **KITREPARATIONPVC**



10 cm x 300 cm

TARP WELDING TOOL

intelligent, robust hot air blower, used for welding and heat-shrinking plastic materials

USAGE
Use on worksites • Temperature control • Air volume adjustment • Ergonomic handling • Modern design

DIGITAL DISPLAY - VOLTAGE
230 V

POWER TEMPERATURE
1 600 W 40° > 620°


Accessories provided : 20 mm flat nozzle - 40 mm wide-slit nozzle - 40 mm ball - bearing roller

Ref. **SOUDEUR_MAN**



NET FOR WORKSHOP PIT
A fall prevention system to make pits safe

1200J Resistance



The mechanical properties of polyamide make it ideal for use as a safety net, such as the ProtecPit®: excellent resistance to hydrocarbons and continuous thermal resistance.



PATENTED
SYSTEM



TURNKEY
PRODUCT

NFP 08-301
and 1263-1

STANDARDS



OTEXIO has developed and patented a special cover to close pits and make them safe in case of falls. the system satisfies the R468 recommendations of the CTNIM, and is eligible for CARSAT subsidies.

TECHNICAL CHARACTERISTICS

- System resistant to the fall of a man or object of 100 kg from up to 1.20m high
- 6 mm High resistance steel cables
- PVC warning strip + logo
- Handling pole
- Installation and handling accessories

OPTIONS

PARTIAL PROTECTION

- Enables operators to work in part of the pit
- The other part remains protected and safe

PIT NET

Ref. **PATN4.75_60**

4,75 mm polyamide net / 60 mm square, braided knotted mesh / M1 fire grade

SAFETY



- **Full safety for operators**
- Does not hide the danger or the pit
- Net visible on the ground
- Fire retardant

MADE TO MEASURE



- **Fully customised**
- Manufactured and dimensioned according to specifications
- Adaptable to all types of pits
- Specialized technical and installation teams

PROFITABILITY



- **Economic and durable**
- More cost-effective than rigid system
- Little maintenance
- Low installation cost

PRODUCTIVITY



- **Simple and quick to use**
- Catches small tools if they fall
- Ventilation and natural light
- Fast deployment
- Opening on both sides / partial covers

OUR REFERENCES





Mobile tarping system

- 25** LiteCover®
- 27** LiteCover® pack
- 28** The LiteCover experience®

Fixed tarping system

- 29** RCOVER®
- 31** ROLLCOVER®
- 32** SLIDECOVER®

System attached to the truck

- 33** Mast system




100% SAFE TARPING SYSTEM

Secured tarping from the ground in less than 3 minutes

PATENTED
SYSTEMFor all skips
from
7 to 40 m³100%
SECURE
SOLUTION

Dekra certification (VDI 2700 sheet 3.3) of our LiteCover® nets is part of OTEXIO's quality approach, which is at the heart of our strategy. Dekra is an independent certification organisation for the automotive, transport and industrial sectors

**PEHR NET**Ref. **SCPEHR_dimensions**

high resistance woven micro mesh polyester

As a partner of transport professionals, **OTEXIO** has developed a simple, innovative product that is effective, safe and cost-effective to adress the needs of the sector.

TECHNICAL CHARACTERISTICS

- Light net (6kg)
- Telescopic pole + rod for safe tarping from the ground
- Protected bungee cord
- Sleeve
- Eyelets
- Instructions for use sewn on the net + paper version
- Training video available online

SAFETY



- **No falls from skip**
- Optimal to adress tarping constraints
- Light and easy to use
- Tarping from the ground

ENVIRONMENT



- **No waste blown away by the wind**
- Optimisation of the size of the net to the exact measurements = no loss of materials
- For all types of waste

SAVINGS



- **No-maintenance system**
- Very tough : extended lifetime
- Can be pulled over waste piled higher than the edge of the skip

SAVES TIMES



- **Tarping in under 3 minutes**
- Tarping time shorter than the traditional net
- Easy to install on all skips
- Unique system designed to increase drivers' productivity
- Fast, complete

TRANSPORT



- **Clean, safe transport**
- Used in tight spaces and in all weathers
- 1 net per truck
- For Ampliroll™ hook-lift skips and chain-lift skips
- Takes up very little room on the truck

OUR REFERENCES



LiteCover® Net

Tough, ultra-light polyester net, designed especially for this system

TYPES OF WASTE
PALETTES • WOOD • PLANT MATERIAL
• OIW • PAPER • CARDBOARD

115 g / m²

+ Its light weight. The fully equipped 35 m³ LiteCover® weighs 6kg, 40% less than a higher quality mesh tarp. Easy to handle and store.

Ref. **SCPEHR_dimensions**

CHAIN-LIFT SKIP 6 m X 3 m

UP TO 30 m³ 7,50 m X 3,30/3,60

UP TO 35 m³ 8,00 m X 3,30/3,60

UP TO 40 m³ 8,50 m X 3,30/3,60

**Available for compactor
hoppers**



Poles and rods

TELESCOPIC LITECOVER® POLE AND HANDLE

Retractable, locked simply by a pin and secured with a chain.
Removable stainless-steel handle.

LENGTH
Folded - 2.90 m • Unfolded - 3.50 m

MATERIAL Aluminum
COMPOSITION POLE + ROLLER

Ref. **GAFFESCTELESKO / POIGNEESAFECOVER**

Available in non-telescopic version



STANDARD FASTENING KIT

MATERIAL Zinc-plated steel component
USAGE One pair for the pole and one pair for the rod

Ref. **KITFIX2**



LITECOVER® ROD WITH HOOK

Ref. **PTCSCALUCRO**

STORAGE LOCKER

2 compartments locker
Each compartement can accomodate :
• 2 LiteCover® nets
• 1 pole, 1 rod

MATERIAL galvanised steel
COMPOSITION LOCKER + PADLOCK

Ref. **CASIER2_OPT_ENS**



Length: 1450 mm
Depth: 605 mm
Height: 1320 mm



OVER 40,000 SYSTEMS SOLD IN 15 YEARS



Training provided by OTEXIO

1 hour driver training course -
Ref. **FORMCOND.**

1 day training course - Ref. **FORM.**

RAIL-MOUNTED SLIDING TARPING SYSTEM



Easy closure to preserve the value of your waste

PATENTED
SYSTEMFor all skips
from
7 to 40 m³SOLUTION
ADAPTED
TO YOUR
NEEDSNew
Locking system

OPTIONS

- Waterproof rear flap with automatic roll-up
- Opening on both sides

COMPLETE RCOVER® SYSTEM

Ref. **ACCES_RCO****TARPLINE®600**Ref. **B650_RCOVER**Waterproof transport tarps
Technical characteristics - P. 11**NETLINE® SUP**Ref. **1206_RCOVER**Micromesh net
Technical characteristics - P. 10**RCOVER® is the essential system on the market to protect your operators and safeguard the value of your waste**

TECHNICAL CHARACTERISTICS

- Coverage of the skip with a net or tarp
- Rails with aluminium ball bearings
- System at different heights to avoid water stagnating
- Anti-impact protection rail
- **Innovation** : tarp bows in 4 parts

SAFETY

• **100% safety for operators**

- Operators on the ground or on the loading bay
- Effortless to handle - pull strap
- Zero accident linked to climbing into skips

ENVIRONMENT

• **No waste blown away by the wind**

- No more complaints from customers due to scattered waste
- Reduced fuel consumption during empty journeys

VALUE OPTIMISATION

• **Maximise the value of the waste**

- Fully waterproof system: no more soiled waste
- Reduces maintenance costs
- Theft deterrent - hides the contents of the skip

PRODUCTIVITY

• **Fast tarping in under 3 seconds**

- Strength and lightness of the system
- Quick install on the skip
- Fast locking / unlocking
- Operated by one person

TRANSPORT

• **Robust, practical solution**

- Safe transport, avoids catching the wind
- No cables: withstands impacts during loading
- No crank : space saving
- Can be operated from both sides, from the top or the bottom of the dock or without the skip being on the truck



TARP WITH SIDE BAR

The system most commonly used by agricultural cooperatives and skip manufacturers



MADE TO MEASURE

On semi-trailers or roll-on/roll-off hookloaders, the **ROLLCOVER®** tarping system with side bar is the system most commonly used by transporters. The driver uses a crank to turn a bar positioned on one side of the tarp in a sleeve all the way along. The optional rope enables tarping to be carried out very quickly.

TECHNICAL CHARACTERISTICS

- System attached to the skip
- Supply of the full kit
- Installation manual
- Tarp bows needed to allow rainwater to run off

OPTIONS

- Removable central tarp bow
- Handle to operate the system

COMPLETE ROLLCOVER® system

- NETLINE® SUP - P. 10 Ref. 1206_RC
- TARPLINE® 600 - P. 11 Ref. B650_RC
- Complete ROLLCOVER Réf. ACCES-RC

Safe tarping in under 3 minutes



PRODUCTIVITY

Easy installation of the tarp or net



EASY

Guaranteed not to allow water to pool on it thanks to the special OTEXIO straps



WATERPROOF

CABLE-MOUNTED SLIDING TARPING SYSTEM

The most economical waterproof solution to protect your waste



MADE TO MEASURE

SLIDECOVER® is the most economical sliding cable tarp system which enables operators to tarp a skip from the ground in complete safety.

TECHNICAL CHARACTERISTICS

- Suitable for occasional use (voluntary waste collection points / ÉCO MOBILIER furniture recycling skips)
- Installation by you
- Installation manual provided
- Choice of the tarping side during installation

COMPLETE SLIDECOVER® SYSTEM

- Ref. ACCES_BC
- TARPLINE® 600 - P. 11 Ref. B650_BC

Safe tarping in under 3 minutes



PRODUCTIVITY

Economic and practical for occasional use



SAVINGS

Guaranteed not to allow water to pool on it thanks to the special OTEXIO straps



WATERPROOF

SPARE NETS AND ACCESSORIES

Quality products at the best price for your existing systems



OTEXIO supplies superior quality aftermarket nets for the automatic system already installed on your truck, such as "HYTOWER", CRAMARO, PALCOVER, TRANSCOVER, etc.

TECHNICAL CHARACTERISTICS

- Attachment system and bungee cord mounted on the net
- Retainer mounted
- Ø8 mm bungee cord bolt rope fitted around the edge
- Ring to adjust the tension
- Ready-to-use net

RECOMMENDED EQUIPMENT PACK

- 1 optimised mesh tarp
- 1 optimised pull rope + 1 lanyard
- 1 aluminium tube
- 1 handling pole

MATERIALS

- Superior quality HT net
- Woven polyethylene with anti-UV treatment
- 1 mm mesh
- Ø 38 / 100 thread
- Weight: 220g/m²

- Better grip
- Optimised pulling accessories



SAFETY

net that can be mounted on existing system



PROFITABILITY

Reinforcement of main wear points: skip corners, door hook, skip loading hook



QUALITY

Nets and accessories

NETLINE®SUP STANDARD NET



HYTOWER -
Ref. **1206HTP87**

TRANSCOVER -
Ref. **1206TRANSCO**

CRAMARO -
Ref. **1206CRA**

PALCOVER -
Ref. **1206PC**

NETLINE®SUP OPTIMISED NET



+ Reinforcement of the net at the ends of the sides to protect against friction on the skip - extension of the sides to fully cover the skip.

HYTOWER -
Ref. **1206HTP872**

TRANSCOVER -
Ref. **1206TRANSCO_OPT**

CRAMARO -
Ref. **1206CRA_OPT**

PALCOVER -
Ref. **1206PC_OPT**

PULL CORD WITH THERMO-SHEATHED

COMPOSITION

High-strength rope + 1 sheathed loop + ring

+ Better grip

Ref. **KITCO14P87_12M_GT**



● | Ø 14 mm | 12 m

LANYARD WITH THERMO-SHEATHED

COMPOSITION

High strength rope + 3 sheathed loops + hooks

Ref. **KITCOGT_2.6M_ENS**



● | Ø 12 mm | 2,65 m

ALUMINIUM TUBE

THICKNESS 2 mm

MATERIALS

ALUMINIUM + FOAM PROTECTION

Ref. **TUBE_SBM**



● | Ø 25 mm | 2,17 m



INDUSTRIAL PACKAGING


- 37 Big Bag
- 42 Container Bag
- 43 Frame
- 44 Spill containment tray | Tank | Metal drum



BIG BAGS ALL SIZES

Waste sorting, collection, transport and storage solution

IDEAL FOR
ON-SITE
SOURCE
SORTING



AVAILABLE in
48 / 72 hours

MADE-TO-MEASURE
and customizable

Large bags made of technical textile that withstand load and abrasion. They are used for the transport, storage, or handling of waste whose small volume does not require the use of a dumpster truck.

TECHNICAL CHARACTERISTICS

- Open top, filling skirt or spout
- Flat bottom, skirt or Discharging spout
- Volum from 0.5 m³
- 4 lifting loops
- Anti-UV treatment
- Reusable
- Heavy duty

OPTIONS

- Leakproof seams
- Internal liner
- Straps for emptying
- Tracking seals

TYPES

- Asbestos 
- Filtering
- Hazardous products 
- Waterproof

MATERIAL

- polypropylene
- Canvas weight: from 130 to 200 g/m²

SAFETY



- **Operators work in safety on-site**
- Less physical strain
- Reduction in arduous activities
- Can bear up to 1,000 times its own weight
- Bag-emptying in complete safety

ENVIRONMENT



- **Reusable up to 20 times**
- Recyclable in dedicated stream
- Processing and reuse
- Thermal inertia and sealed storage outdoors
- Storage as close as possible to the waste

VALUE OPTIMISATION



- **Allows waste sorting on-site**
- Limits waste loss (20%)
- Usage for all types of waste
- Preserves and optimises the value of the waste
- Secure, regulatory transport

PRODUCTIVITY











- **Facilitates waste collection**
- Easier handling
- Quick, easy emptying on-site
- Reduces trips to and from the waste disposal centre
- Easier to weigh the waste

LOGISTICS











- **Volume of waste managed**
- No administrative autorisation, unlike skips
- Easy to implement, store and transport
- Format adapted to limited space and difficult to access





REF.	 Dimensions (cm)	 Working load (kg)	Safety Coef	Canvas (gr/m²)	Descriptif	Visual
Standard Big Bags						
BBN-022-7	60x60x60	1000	5/1	160	Open top and flat bottom 4 lifting loops of 30 cm	
BBN-022-12	60x60x70	300	-	175	Open top and flat bottom 2 lifting loops - Rigid	
BBN-031	87x87x90	1000	5/1	150	Open top and flat bottom 4 lifting loops of 30 cm Compatible with aluminum liner for hot materials*	
BBN-002	87x87x110	1500	5/1	160	Open top and flat bottom 4 lifting loops of 30 cm	
BBN-002-T	87x87x110	1500	5/1	160	Open top and flat bottom 4 lifting loops of 30 cm - 2 white sides and 2 transparent sides	
BBN-006-1	95x95x170	1500	5/1	160	Open top and flat bottom 4 lifting loops of 30 cm	
BBN-002-1	95x95x185	1000	5/1	150	Open top and flat bottom 4 lifting loops of 40 cm lowered by 30 cm	
BBN-006	92x92x200	1250	5/1	160	Open top and flat bottom 4 lifting loops of 30 cm	
BBN-012-2	80x80x90	1000	5/1	160	Filling skirt of 70 cm and flat bottom - 4 lifting loops of 30 cm	
BBN-013	87x87x110	1250	5/1	160	Filling skirt of 80 cm and flat bottom - 4 lifting loops of 30 cm	
BBN-016-3	96x96x115	1250	5/1	160	Filling skirt and flat bottom - 4 lifting loops of 30 cm	
BBN-012-4	87x87x99	1500	5/1	180	Filling spout Ø35x50 cm Flat bottom - 4 lifting loops of 40 cm	
BBN-025-0	94x94x100	1500	5/1	160	Filling spout Ø40x50 cm Flat bottom - 4 lifting loops of 30 cm	
BBN-035	87x87x130	1000	5/1	140	Filling skirt of 80 cm Discharging spout Ø35x50 cm - 4 lifting loops of 30 cm	
BBN-037-2	90x90x160	1200	5/1	150+30	Filling skirt - Discharging spout - 4 lifting loops of 30 cm	
BBN-014-1	94x94x200	1250	5/1	180	Filling skirt of 80 cm Discharging spout Ø40x50 cm - 4 lifting loops of 30 cm	
BBN-014	94x94x200	1500	5/1	180	Filling spout Ø40x50 cm Discharging spout Ø40x50 cm - 4 lifting loops of 30 cm	



*Reference HOU-10





REF.	 Dimensions (cm)	 Working load (kg)	Safety Coef	Canvas (gr/m²)	Descriptif	Visual
Waterproof Big Bags						
BBN-009	94x94x100	1500	6/1 <i>reusable</i>	160	Filling skirt of 80 cm and flat bottom - 4 lifting loops of 30 cm - Internal liner 80 µ sewn to the top of the skirt and loose on the body	
BBN-013-3	87X87X115	1250	5/1	160	Filling skirt of 80 cm and flat bottom. Internal liner 80 µ - 4 lifting loops of 30 cm	
BBN-025	94x94x100	1500	5/1	160	Internal PEBD liner 60 µ - Filling spout Ø40x50 cm and flat bottom - 4 lifting loops of 30 cm	
BBN-005-0	110x110x125	1250	5/1	150+30	Filling spout - Flat bottom - 4 lifting loops of 25 cm - QBAG	
BBN-013-0	87x87x110	1250	5/1	160	Filling skirt - Discharging spout - 4 lifting loops of 30 cm	
BBN-017	87X87X130	1000	5/1	160+30	Laminated fabric - Leak-proof seams - Filling spout Ø40x50 cm Discharging spout Ø40x50 cm	
BBN-016-2	87x87x130	1000	5/1	160+30	Internal PEBD liner 80 µ - Filling spout Ø40x50 cm and discharging spout Ø35x50 cm - 4 lifting loops of 30 cm	
BBN-037-2	90x90x160	1250	5/1	160	Filling skirt of 80 cm and discharging spout Ø35x50 cm - Circular laminated fabric - 4 lifting loops of 30 cm	
Filtering Big Bags						
BBN-019-4	87x87x115	1500	5/1	160	Filtration estimated at 70 µ Open top and flat bottom. FILTRATION: A second skin (non-woven PP media inside) + strip on the outside for water drainage	
BBN-019-7MRN	96x96x132	1000	6/1 <i>reusable</i>	180 (fly screen)	Open top - Flat bottom - 2 bottom tilting loops - Fly screen net fabric	
BBN-019-7LRN	96x96x160	1000	6/1 <i>reusable</i>	180 (fly screen)	Open top - Flat bottom - 2 bottom tilting loops - Fly screen net fabric	
BBN-019	87x87x110	1250	5/1	160	Filtration estimated at 200 µ - Filling skirt and flat bottom - 4 lifting loops of 30 cm. FILTRATION: Open weave for water drainage - RECOMMENDATION: Use a grid and a retention basin	


REF.	Dimensions (cm)	Working load (kg)	Safety Coef	Canvas (gr/m ²)	Descriptif	Visual
Asbestos Big Bags						
BBN-004	86 X 86 X 101	1000	6/1 <i>reusable</i>	130	ASBESTOS / UN Filling skirt of 80 cm and flat bottom. Internal liner 35 µ in polyethylene glued to the body and sewn to the top of the skirt. 4 lifting loops of 30 cm. UN marking 2212-2590	
BBN-007 BBN-008	160 x 110 x 50 260 x 120 x 30			150	ASBESTOS CEMENT DEPOSIT BAG Filling skirt of 65 cm with flap and flat bottom. 4 lifting straps of 30 cm passing under the deposit bag	

UN standard Big Bags (hazardous products)						
BBN-009-10-3077S	90 x 90 x 120	1000	6/1 <i>reusable</i>	160	UN 13H3Y Filling skirt of 80 cm and flat bottom - 4 lifting loops. Internal liner glued on 4 sides (80 µ) - 2 A4 document holders on opposite sides. UN CODE MARKING 3077, diamond pictogram code 9, and marine pollution symbol	
BBN-CONV-600	95x115x65	600L <i>Available in 1000L</i>	6/1	130	Filling skirt + outer skirt (4 sides) - Flat bottom - Certificate 13H3Y - 4 lifting loops of 20 cm. 2 A4 document holders. Ideal for conveyor use	

Construction Big Bags - With Discharge Option						
BBN-PELJOB90	90x90x90	1500	6/1 <i>reusable</i>	2x220	Open top and special discharge skirt - Double-body fabric - Remote opening via cord system - 4 polyester straps of 50 cm	
BBN-030-PLI	146x146x126	1000	5/1	160	Open top and flat bottom - Opening with a 12 cm flap - Printed with checkboxes (wood, plastic, non-hazardous waste, etc.) - 2 lifting loops of 110 cm	

Rubble Bags						
SAC-003	60x105			80	White polypropylene bag	
SAC-006	50x80			80		

REF.	Dimensions (cm)	Working load (kg)	Safety Coef	Canvas (gr/m ²)	Descriptif	Visual
Container Bag						
BBN-039-ZIP-1	650X240X115	25	6/1 <i>reusable</i>	160	NEUTRAL MARKING Filling skirt and flat bottom - Laminated PP fabric - Closing flap on top - Internal liner 50µ sewn around the edges	
BBN-039-ZIP	620x240x115	24	6/1 <i>reusable</i>	160		
BBN-039	620X240X115	30	6/1 <i>reusable</i>	160	ASBESTOS Filling skirt and flat bottom - Laminated PP fabric - Closing flap on top - Internal liner 50µ glued to the bottom at 8 points. Asbestos marking and safety instructions - Hazardous product certification	
BBN-038	650X240X150	25	6/1 <i>reusable</i>	120+30		
BBN-038-ZIP	650X240X150	23	6/1 <i>reusable</i>	120+30		



Holders**DISMANTABLE FILLING STATION****COMPOSITION**

- 1 open base, ground spacing 160 x 120 cm
- 1 upper frame, spacing 160 x 120 cm
- 1 hopper with galvanized funnel 40° slope, 3 mm thick, dimensions 230 x 120 cm with a 60 x 60 cm outlet
- 4 hooks for Big Bags

Warning : This set does not include support struts!

Ref. **SUP-003-1**

+ Round square option
Ref. **SUP-020-1**



2350 x 1460 x 1500mm

DISMANTABLE SUPPORT / WITH CLOSED BASE**COMPOSITION**

- 1 closed base
- 1 upper frame

Warning : This set does not include support struts !

The closed base allows the use of standard 80 x 120 cm pallets to remove the full Big Bag with a stacker or forklift.

Hot-dip galvanized finish makes it suitable for both indoor and outdoor use. Equipped with reinforced corners, making it highly durable.



Ref. **SUP-001**

Ref. **SUP-002-20**

Entraxe 950mm

Entraxe 1200mm

DISMANTLABLE SUPPORT / ON-SITE USE WITH LIFTING EQUIPMENT

Ecosup 4S holding support.

Tube with a diameter of 33.7 mm at the base - upper tube with a diameter of 26.9 mm - hot-dip galvanized coating

+ Adaptable to Big Bags with 4 lifting loops from 100 to 135 cm

Ref. **SUP-006-01**

+ Adaptable to Big Bags with 4 lifting loops from 100 to 155 cm

Ref. **SUP-006-02**



960 x 960 x 1300 mm

960 x 960 x 1500 mm

DISMANTLABLE SUPPORT / WITH OPEN BASE**COMPOSITION**

- 1 open base
- 1 upper frame

Warning : This set does not include support struts!

The open base makes it easy to use 80 x 120 cm pallets or other sizes to remove the full Big Bag

Hot-dip galvanized finish makes it suitable for both indoor and outdoor use. Equipped with reinforced corners, making it highly durable.



Entraxe 950mm

Entraxe 1200mm

POLES

100, 150, 200, 250, 300 cm galvanised poles.



Ref. **CHAND**

60 mm 2,9 mm

OTHER INDUSTRIAL PACKAGING**Spill containment tray**

The protective cover for storage and containment of chemicals or pollutants.

This custom-made spill containment tray, crafted from PVC900, is corrosion-resistant, making it suitable for the storage or transport of hydrocarbons, chemicals, or pollutants. The tray stability is enhanced : simple and quick installation of aluminium brackets in sleeves made around the perimeter of the tray.

Easy and quick storage. Supplied with a transport bag.

Réf. **BR_dimensions**

+ Available for large volumes, these containers are flexible, foldable, waterproof, and designed to store hazardous materials, suitable for the temporary provision of chemicals.

**IBC tank - New or second hand**

AVAILABLE in 300-600-800-1000 L



Our IBC tanks are available either new or reused and are ideal for storing and transporting fluids, waste, or bulk materials.

Durable, economical, and versatile, they are valuable assets for daily operations

These HDPE tanks offer an efficient intermediate storage solution that is **easy to handle** thanks to the integrated pallets.

They are **reusable** and can be cleaned and reconditioned for various uses, reducing both costs and environmental impact.

Metal drums

AVAILABLE in 60 L

These drums have only contained food products in a LDPE liner which has been removed.

Different models depending on arrivals. (Colour, number of grooves, markings not guaranteed).

DIMENSIONS

Height between 89 cm and 95 cm and diameter between 57 cm and 60 cm.

METAL DRUM +/- 213 L OPEN TOP

SOLD WITH LID AND CLAMP RING

Ref. **FUT-019**

METAL DRUM +/- 213 L

SOLD WITHOUT LID AND WITHOUT CLAMP RING

Ref. **FUT-019-2**


METAL DRUM +/- 213 L UN OPEN TOP

SOLD WITHOUT LID AND CLAMP RING FOR POSSIBLE ADR TRANSPORT

Ref. **FUT-020-1**



■ SKIPP PROTECTION



Skip liner

- 47** PROTECSKIP® / PROTECSKIP® BIO
- 49** PROTECTION LINER



PROTECTION LINER FOR TRANSPORT

The essential skip protection for all the stakeholders in the waste transport sector



Also available for moving floor trailers

AVAILABLE in 48 / 72 hours



Skip liner designed to protect the entire skip against sticky waste, food waste, corrosive waste, etc. Available in standard or biodegradable version (accepted in agricultural organic waste outlets).

TECHNICAL CHARACTERISTICS

- Waterproof
- W-shaped construction for easy unfolding and installation
- Custom-made for skips from 7 to 90 m³
- Heavy duty

MATERIAL

- PROTECSKIP® : PE 90 µ standard version Ref. **S100**
- PROTECSKIP® BIO : PE 70 µ biodegradable version Ref. **SBIO**



Standard sizes available within 48 / 72 hours :

- S100:**
15-20m³ : 6 x 2.4 x 1.8 m
6.5 x 2.4 x 1.8 m
7 x 2.4 x 1.8 m
30m³ and more : 6 x 2.6 x 2.7 m
6.5 x 2.6 x 2.7 m
7.5 x 2.6 x 2.7 m

- SBIO:**
30m³ and +: 6.5 x 2.4 x 1.8m

ENVIRONMENT



- **Saves water as skips remain clean**
- No leakage or loss of waste on the road
- Suitable for emptying in agricultural organic waste outlets
- Satisfies standard NF EN 13432

PROFITABILITY



- **Increase the rotation of your skips**
- Multiple type of waste: sewage plant sludge, hydrocarbons, fatty waste, asphalt, sticky waste, food waste, etc.
- Optimised skip lifetime
- Only use the specific format: no surplus material

PRODUCTIVITY



- **Installation in less than 3 minutes**
- improved responsiveness in case of an urgent need to seal a skip
- Total protection of the skip (bottom and sides)
- Quick and easy emptying

TRANSPORT



- **Clean, safe transport**
- For skips, containers and wagons
- Adapts to the various skips in the fleet
- Easy to transport and store



Liner

Low-Density Polyethylene Protective Covers. Used to prevent moisture migration, grease leaks, or residue spills for bagged products

Gussets allow adaptation to all shapes and sizes (cardboard, pallet boxes, Big Bags, etc.).

DIMENSIONS

60µ recycled version :

- 125 x 100 x 150 cm for a pallet box of 120 x 100 x 80cm
- 125 x 100 x 200 cm for a pallet box of 120 x 100 x 130cm
- 125 x 100 x 250 cm for a pallet box of 120 x 100 x 180cm
- 125 x 100 x 270 cm for a pallet box of 120 x 100 x 200cm

70µ version:

- 125 x 100 x 270 cm for a pallet box of 120 x 100 x 200cm

- 30µ BIO Version :
- 120 x 100 x 163 cm for a pallet box of 115 x 100 x 93cm
 - 120 x 100 x 200 cm for a pallet box of 115 x 100 x 130cm
- 200µ Circular Version :
- 600 x 1300 : Welded Round Bottom



Guaranteed tightness for powdered products.
High resistance to deformation and tearing



Burlap liner

Dumpster or pallet box cover made of burlap allowing for the filtration of sticky, viscous, liquid, and toxic materials (sewage sludge, hydrocarbons, lubricants, etc.).

Ideal for filtering your coagulating mud waste, liquids, or toxic substances, these burlap covers help separate residues from liquids and facilitate their treatment.



Protects equipment and avoids costly and time-consuming cleaning/dredging.

Ref. **TOILE_JUTE_DIMENSIONS**

240g/m²



ANTI-LITTER AND COVERING





Bulk Storage
53 Turnkey project

Base structure
55 Concrete blocks
56 OTEXBLOCKS®
57 LÜRA steel walls

5.1 FENCELINE®
60 Available materials
61 Poles
63 High wind cages
65 Fixed cages
66 Sliding doors
67 Screen / Windbreak
68 Anti-dust / Anti-rain

5.2 COVERLINE®
73 RCOVER®BOX
75 Tension fabric dome
77 Tension fabric roof
79 Retractable roof
83 Covers
90 Basins




Turnkey Project

OTEXIO guarantees turnkey project and **reliable support** from **understanding the issue to the installation**.

Our goal : To offer you an operation that is 100% aligned with your daily needs and the management of your projects.

A tried and tested 4-step method



A team of Experts who master your project :



A Sales Representative



A design office



A site Manager



An installation team

Versatile and comprehensive offer...

ROOFING | COVERLINE®

WALLS AND BRACKETS



Slab & Stringer
Concrete blocks
Steel partitions

DOME TUNNEL



From 6 to 15m
Removable
Cost-effective

DOUBLE SLOPE TUNNEL



From 10 to 80m
On support
On the ground

RETRACTABLE ROOF



From 3 to 10m
RCover®Box
Retractable roof

ANTI-LITTER | FENCELINE®

WALLS & BLOCKS POSTS




Self-supporting
Versatile
Alu or composite

HIGH-WIND CAGE




From 3 to 10m
Full opening
Adjustable

ANTI-LITTER ON CELLS OR POSTS



On posts or
concrete blocks
Made to measure
Pulley or cable

WIND/PRIVACY SCREEN DUST CONTROL



From 6 to 15m
Cost-effective
Easy to assemble

... covered by a ten-year warranty.

All OTEXIO's civil engineering partners, suppliers, and service providers follow an **approved and insurance-recognized method** ensuring a **reliable network and a well-managed value chain**.




CONCRETE BLOCKS FOR NON-HAZARDOUS WASTE STORAGE FACILITIES

The ideal solution for a mobile and scalable installation



AVAILABLE
IN
BURIED
VERSION



At a sorting center or a waste storage center, our solutions adapt to the space constraints of each site. Available in a self-supporting or buried version, our concrete blocks will follow the evolution of your site with ease.

RESISTANCE

- Designed by our engineering department to guarantee resistance to winds and the desired clogging by waste
- Durable wthroughout the life of the exploitation site.

EASY TO USE

- Fork passage: moving the base with the post in one action.
- Suitable for all types of land

OPTION


- Buried and fixed
- Mobile

INSTALLATION

- The installation is carried out 100% by our dedicated team.



Easy to move as the site develops




ADAPTIBILITY

Top quality materials for a longer lifetime



DURABILITY

Custom-made according to the dimensions of your structure



MADE TO MEASURE

MODULAR BLOCKS FOR CELLS AND STRUCTURES

Custom-made stackable concrete blocks for creating modular storage areas



Our concrete blocks adjust and stack to easily and quickly build a stable wall.

RESISTANT

- Robust and durable material
- Concrete formula (C25/30XF1) adapted to the type of waste stored
- In compliance with the standard REI 240

MODULARITY

- Stackable blocks meeting the client's needs and the site's constraints
- Evolves with the site

COMPATIBLE STRUCTURES

- Poles with anti-scatter / dust-proof nets / privacy screens-windbreaks
- Tunnel
- **RCOVER®** BOX

INSTALLATION

- The installation is carried out 100% by our dedicated team.



Less expensive than a traditional wall - immediate ROI.



PROFITABILITY

Esay installation - smooth operations - Optimization of the site's functioning



PRODUCTIVITY

On-site delivery - Pre-fabricated blocks



LOGISTICS

STEEL PARTITIONS FOR STORAGE BAY

Usable bare or with any type of roofing


LÜRA

OTEXIO proudly distributes LÜRA walls in the French territory, but LÜRA remains your sole point of contact for the rest of the world

RMS GmbH
info@rms-luera.de
www.rms-luera.de

LÜRA steel partitions allow for **mobility** on the exploitation, **modularity** and a **significant expansion capacity** on all types of stabilized grounds. They will withstand all the demands of a waste treatment site: wind, machinery impacts, fire, etc., and even the weight of a metal-textile cover. Ideal for **bulk** product **storage**, they are installed in record time.

RESISTANCE

- Suitable for all uses
- Robust and ultra-stable
- Fire protection

IMPLEMENTATION

- No anchoring
- Filled with water, sand, gravel, scrap metal, soil
- Possibility of great height

USES

- ideal for dense materials
- Suited for extreme exploitation conditions
- Adapted to all uses, wastes, and materials

COMPATIBLE:

- Steel extension
- Anti-scatter net
- Protection net
- Metal-textile cover

AVAILABLE RANGES

- LÜRA CLASSIC
- LÜRA COMBI

+ Available in personalized colors

OTEXIO Quality Charter - Ten-Year Guarantee - Support and Compliance

Custom layout according to your needs



MADE TO MEASURE

Time-saving during setup and facilitates sorting operations



PRODUCTIVITY



TURNKEY SOLUTION




Median LÜRA partition for storage



Anti-litter nets on LÜRA partitions





MATERIALS AVAILABLE - **FENCELINE®**

Mesh nets for wind blown waste prevention structure

OTEXIO has developed a range of custom-made mesh nets to address the issues related to nuisances from waste exploitation and treatment: mainly scatter and safety, etc.

We offer simple and effective solutions tailored to your needs.

USAGE

- Waste scatter prevention
- Fall protection
- Bird deterrent
- Safety net
- Ball/balloon guard

4 MESH NET MATERIALS AVAILABLE

POLYPROPYLENE (PP)

Soft, multi-strand appearance 170°C melting point Strong Flame-retardant treatment possible

N.B.

Ideal for indoor use as non-waterproof.

POLYETHYLENE (PE)

Single-strand plastic appearance 180°C melting point. Water resistant.

N.B.

Ideal for wind-blown waste prevention structures as net is rigid.

POLYAMIDE (PA)

Soft, multi-strand appearance 285°C melting point. Strongest net on the market. Water resistant.

N.B.

Ideal for fall prevention nets, flame retardant treatment upon request.

POLYETHYLENE (PE)/POLYAMIDE (PA)

Single-strand / multi-strand mix. Stronger than PE and PP.

N.B.

Only available in knitted version, making the net very flexible.

MESH
6 > 200mm
THREAD
1 > 4.75mm

ANTI LITTER NETTING SYSTEM

FENCELINE® is our range specially developed to minimize the impact of waste on the environment.

Highly suitable for the constraints of landfill sites, **FENCELINE®** offers numerous solutions:

- Wind-blown waste prevention structures
- Bird deterrent
- Privacy screen
- Windbreak
- Dust control
- Rain protection



KNITTED

Knitted thread, mesh connected together in the knitted weft. Good value for money.

APPLICATION INDUSTRY • TRANSPORT • LIGHT • SPORT • FISHING • ETC.



WIRED KNOTTED

Cable thread (twisted), mesh knotted together (visible knots). Low tear propagation thanks to the knots.

APPLICATIONS INDUSTRY • TRANSPORT • SPORT • ETC.



BRAIDED KNOTTED

Braided thread, mesh knotted together (visible knots). Low tear propagation thanks to the knots. Good friction resistance.

APPLICATIONS INDUSTRY • TRANSPORT • SPORT • ETC.



BOLT-ROPES

The bolt rope made of rope or bungee cord (elastic) is used to durably attach the net to your structure (frame, skip hook, cable, etc.) The bolt-rope edge is overlapped for greater strength...

Ø ROPES

6 mm
8 mm
10 mm

Ø BUNGEE

8 mm
10 mm

Ø WEIGHTED ROPE

12 mm

Ref. **RPP06TRANS**

Ref. **RPP08TRANS**

Ref. **RPP10TRANS**

Ref. **SW8GI**

Ref. **SW10**

OVERLOCKED

Ref. **RPLOMBE300**



FOR NON-HAZARDOUS WASTE STORAGE SITE
A robust, custom-made solution to support your nets and their clogging



Steel posts on mobile concrete bases

EASE OF INSTALLATION

- Welded on a plate with a stiffener for concrete block.
- Specific drilling for attachment on a modular block

RESISTANCE

- Sized by our engineering department to ensure resistance to winds and the desired clogging by waste.
- Hot-dip galvanization treatment.

ADAPTABILITY

- Pulley system to safely attach the net without machinery
- Cable attachment for maximum resistance.
- Manufactured to desired dimensions.

MATERIAL

- Steel
- Composite
- Wood

INSTALLATION



- The installation is carried out 100% by our dedicated team.



Ease of movement according to the site's evolution

Quality materials for a longer lifespan

Custom manufacturing according to the dimensions of your structure



POSTS
AVAILABLE
IN
COMPOSITE
QUALITY

Mobile wind-blown waste prevention structure - height 5m - elbows posts 1m at 90°



STRONG WIND CAGES FOR LANDFILLS

The wind-blown waste prevention system easy to move according to needs



Mobile high wind cages - width 5m x height 4m



PERSONALISED TECHNICAL STUDY

- Our technicians and our Design Office offer you a bespoke solution adapted to your needs according to the wind zones and the constraints of each site

EASY TO MOVE

- Around the edge of a waste storage area, as close as possible to the discharge area according to the dominant daily winds



STRUCTURE & INSTALLATION

- Supply of the entire metal structure, with or without treatment, with the nets and fastening accessories.
- Installation is performed by our dedicated team


Easy to move as the site develops

Stop waste being scattered by the wind as soon as it is unloaded

Custom-made according to the dimensions of your site



Wind-blown waste prevention structure - netting retaken by cables - height 3 m with elbows 0.5 m.



Mobile wind-blown waste prevention cage large sizes: depth 60 m x width 40 m




FIXED ANTI-LITTER NETTING CAGE

Fixed and durable wind-blown waste prevention structure for waste outside your operation



Fixed wind-blown waste prevention structure on buried bases - height 5 m



Fixed wind-blown waste prevention structure on wall height 3 m

WIND-BLOWN WASTE PREVENTION SLIDING DOORS

The system opens and closes easily



Fixed wind-blown waste prevention structure on cells + sliding doors - height 10 m

EASY TO USE

- The net is installed on a cable or a rail for easy opening and closing
- On storage bay or building

MODULAR STRUCTURES

- Adapted to vehicles moving inside the structure
- The net is made like a door and can be kept closed or open to facilitate circulation

RESISTANCE

- Wind resistant
- Customised sizing to protect your waste storage structure from the wind



Wind-blown waste prevention sliding doors - height 8m x width 15m - two nets

SUPPLY & INSTALLATION

- We supply all the nets and accessories
- Installation is performed by our dedicated team

Open and close in just a few seconds



PRODUCTIVITY

Quality materials and sizing for a longer lifespan



DURABILITY

Custom-made according to the dimensions of your structure



MADE TO MEASURE

MICRO-MESH NETS AND TARPS

Protects from wind and outside view



Dust control net in building



Dust control structure on storage bay - height 2 m - elbows 0.8 m

OTEXIO offers a range of micro-mesh nets dedicated to the environment, to address the nuisance issues generated by waste exploitation sites or related to weather conditions.

High-Density Polyethylene (HDPE).
Monofilament strip structure - Warp & weft knitted - Black PVC reinforcement - 10 cm around the perimeter.

SHADE RATE
100 %

TREATED
ANTI-UV

Ref. **BV100**




110 g / m²



USAGE

- Privacy screen
- Windbreak
- Dust control
- Rain protection



A turnkey solution, manufactured after studying your needs



MADE TO MEASURE

No more neighborhood problems



PRODUCTIVITY

Operator safety and reduction of hardship



SAFETY



100% privacy screen mobile structure - length 140 m x height 3 m



Fixed privacy screen net



Rain protection net on building - Length 18m - height 3m



Mobile strong wind cages - height 5 m x width 4 m



Fixed wind-blown waste prevention net on storage bay - Nets retaken by cables - Height 4 m



Mobile high-wind cages




Fixed wind-blown waste prevention structure on storage bay - height 3 m



100mL wind-blown waste prevention net on concrete bases - Pulley system

Pulley system



COVERLINE®

METAL-TEXTILE COVERS

Discover **COVERLINE®**, our range dedicated to waste covering that offers all sorts of technical solutions.

COVERLINE® will allow you to preserve the value of stored waste and ensure secure storage:

- **RCOVER® BOX**
- Dome tunnel
- Double-slope tunnel
- Retractable Roof
- PVC waste cover



Retractable cover system : **RCOVER® BOX**



Daily waste cover



Double-slope tunnel closed on 4 sides with gutters - 15x25m

STORAGE

5 COVERLINE® 2

RETRACTABLE COVER FOR STORAGE BAYS

The adaptable solution to protect waste without stopping operations

AVAILABLE
IN A
MOTORIZED
VERSION



RCOVER®BOX is a retractable covering system for concrete cell. Its structure made of steel hoops running on rails is covered with a PU tarp ensuring an opening/closure adapted to the site's activity.

SECURED OPERATORS

- Handled with a crank located at the entrance of the storage bay.
- Easy and effortless opening

100% OPENING RATE

- Operators can maneuver in the cell with their machinery without risk.
- No rail or structural element protrudes into the storage bay, avoiding any tearing.

WATERPROOF

- Waste or materials 100% protected from the weather.
- Waterproof tarp for optimal protection.

OPTION

- Gutters and drainage

SUPPLY & INSTALLATION

- We supply all the nets and accessories
- Installation is performed by our dedicated team

Opening and closing in less than 1 minute



PRODUCTIVITY

Avoids the construction of buildings requiring a building permit



ECONOMICAL

Custom manufacturing according to the dimensions of your structure



MADE TO MEASURE

Retractable waterproof cover on Otexblocks® - 9.6 m x 9.6 m (interior)



Retractable waterproof cover on Otexblocks® - length 4.80 m x depth 5.60 m



DOME TUNNEL FOR STORAGE BAY

The robust and economical covering system to preserve your materials and equipment

COMPLIANT
WITH
EUROCODE
STANDARDS
NF EN 13031-1
NF EN 1993-1



Our metal-textile covers are designed to withstand **the harshest weather conditions** and adapt to **all your waste storage needs of all types** : WEEE, wood, organic materials, mixed general waste, plaster... The shelters will **preserve the material** and constitute a durable, **ventilated, and modular cover...**

MODULAR

- Solution adaptable to the site in length and width
- On all types of supports: Otexblocks®, concrete slabs, LURA partitions
- Demountable and easy to move


WATERPROOF & PROTECTION

- PVC coated tarp - 670g
- Gutter and protection/waterproof apron

ADAPTABILITY

- Hoops doubled with reinforcements to solidify the dome
- High yield strength steel (HYS)
- Oval tube Ø60mm - Ø90mm - Ø130mm

LARGE INTERIOR SPACE WITHOUT OBSTACLE



OPTION

- Windbreak
- insulation
- Ventilation
- Solid gable

Custom manufacturing according to the structure and needs in addition to the standard range



MADE TO MEASURE

Quick deployment - Time, space, and resource savings




PRODUCTIVITY

OTEXIO Quality Charter - Ten-Year Warranty - Support and Compliance




TURNKEY SOLUTION

Dome tunnels and aprons - 8m x 10m - Height 4.40m



Dome tunnel 15m x 26m - Height 8.46m



DOUBLE-SLOPE TUNNEL

Ideal for high-height under roof needs



Its significant side height will allow you to work safely and avoid the risk of tearing during machinery operations in your storage space.

Our straight-legged metal-textile cover is durable, ventilated, waterproof, robust, and modular.



AVAILABLE IN A REUSE VERSION



In case of damage to the fabric, its design allows you to change only a part and not the entirety of the tarp

MODULAR


- On all types of supports: Otexblocks®, concrete slabs, LURA partitions
- Demountable and easy to move

WATERPROOF & PROTECTION

- PVC coated tarp - 670g
- Gutter and protection/waterproof apron

ADAPTABILITY

- High side height
- Height allowing the use of grapple-type machinery
- Possibility of full closure and rolling door

**OPTION**

- Windbreak
- Insulation
- Ventilation
- Solid gable

Adaptable to all sites



MADE TO MEASURE

Quick delivery and implementation - Time, space, and resource savings



PRODUCTIVITY

OTEXIO Quality Charter - Ten-Year guarantee - Support and Compliance



TURNKEY SOLUTION



Double-slope tunnel assembly



Straight-legged tunnel with door and aprons





RETRACTABLE ROOF

The alternative to traditional construction



OTEXIO provides turnkey retractable roofs.

The retractable roof is the perfect alternative when logistical, administrative, or operational constraints do not allow for traditional construction.


+ 100% RETRACTABLE - LARGE USABLE SPACE

MATERIALS

- Roofing Sheet: Aluminum, steel, or polycarbonate
- Structure : Steel or aluminum depending on usage
- Fixed Walls: Reinforced concrete
- Modular Walls: OTEXBLOCKS® or LURA type

USAGE

- Handling Bar
- Motorized or with a Winch



Interior Width up to 40m

VERSATILE APPLICATIONS

- Port Environment
- Salt Storage Shelter
- Basin Covers
- Industry

Corrosion Resistance - Large-Span Coverage - Non-Deformable



RESISTANCE

Material Protection - Weather Resistance - Anti-Theft Protection



PROFITABILITY

Gas Recovery - With/Without Doors - Side-by-Side Installation



VERSATILITY




Rigid Sliding Roofs 5.2m x 9m x 1m




Retractable Polycarbonate Roof



TECHNICAL COMPARISON DOME TUNNEL / DOUBLE-SLOPE TUNNEL



RCOVER®BOX Length 7m - Width 7m - Height 4m



Dome tunnels on LURA partitions - Width 22 and 30m - Wall height 4m / roof height 11m



Straight-legged tunnel - Width 20m - Wall height 5.60m / roof height 14m

FOR WASTE AND CONTAMINATED SOIL

The waterproof covering to protect from bad weather



Cover in **green coated woven** high-density polyethylene. Equipped with a lifting net for easy transport on sites. Tarp folded and made **according to the needs of the operation**, with a reeler / unreeler to facilitate the movement of covers (**up to 10 m wide**).

WATERPROOF PROTECTION FOR LANDFILL SITE

- This product temporarily covers waste (paper, cardboard, wood, etc.) or contaminated soil that must be protected from rain.

LIFTING

- Lifting and handling means adapted to the site's challenges.

SUPPLY & INSTALLATION

- We supply all the accessories
- The installation is carried out 100% by our dedicated team.

DIMENSIONS

- Made to measure
- Large dimensions on request.

WATERPROOF FABRIC230 G / M²Ref. **COUV_B230_2STD****TREATMENT**

UV-TREATED

100% waterproof guaranteed



WATERPROOFING

- Large dimensions on request
- Custom manufacturing according to your needs



MADE TO MEASURE



ODOR-PROOF TECHNICAL TARP**The unique anti-odour solution for waste storage**

Waterproof anti-odour cover with regenerating active carbon on polluted water retention tank

**ANTI ODOUR**

- Filters out unpleasant odours
- The molecules of the unpleasant vapours (odours) are absorbed and fixed by the active carbon

ACTIVE CARBON

- Regenerating active carbon filters: the filter is composed of titanium dioxide which absorbs the ultraviolet radiation generated by the sun › chemical reaction › regeneration.

SUPPLY & INSTALLATION

- We supply all the nets and accessories
- Installation is performed by our dedicated team

COVER

Regenerating active carbon
Filtration treatment of organic vapours.

USAGE Transport skip (sewage plant sludge, slaughterhouse skips, fat, household waste, organic waste) Biogas well head, Sewage plant, Composting station, Waste protection for non-hazardous waste storage site

TREATMENT UV TREATED

Ref. **COUVCHARBACT**

Unique, permanently effective procedure



INNOVATION

Reusable regenerating active carbon



ENVIRONMENT

Custom-made according to your needs



MADE TO MEASURE



Anti-odour sleeve on biogas well - regenerating activated carbon



Anti-odour cover with regenerating active carbon



PREVENTION WEEKLY OR DAILY COVER
Sheet for covering waste operation areas



GAIN LANDFILL STORAGE SPACE

- This product replaces the need for soil or inert materials

EASY TO PROCURE

- Easy to procure as compared to the use of soil

SAFE

- No risk of impermeable layers : openwork product

QUICK AND EASY TO INSTALL

- 3 000 m² installed in 45 minutes - Low wind resistance (no need to anchor it down).

COVER
Black HD polyethylene.  27 g / m²

NET
KNITTED
TREATMENT
ANTI-UV
WIDTHS
3, 4 AND 6 M
LENGTHS
1000 OR 2000 M

Ref. **COUV_PEHD**

SUPPLY & INSTALLATION

- We supply all the nets and accessories
- Installation is performed by our dedicated team

3 000 m² installed in 45 minutes



Economic solution as compared to the use of soil



Available stocks



FOR WASTE COVERAGE

The easy solution to install waste cover

**SAVES TIME**

- Saves time during installation.
- Unroll / roll up membranes or tarps from 2.5 to 10 m in width.

SIMPLIFIED COVERAGE

- Simplified coverage
- These products facilitate the coverage of large surface areas.

UNROLLING SYSTEM

This product has been specially developed for our customers who use weekly covers. We make it customised widths of up to 6 meters. Its sole function is to unroll the fabric, but not to roll it up again, as this cover is not removed, but is buried with the waste.

Ref. **DEROUL_SIMPL_7****ROLLING / UNROLLING SYSTEM**

This product is used for anti-odour covers and temporary waterproof covers. These two types of cover must be installed and removed quickly. We therefore make them on rollers which are loaded on an automatic hydraulic rolling and unrolling system.

Ref. **ROLLING****SUPPLY & INSTALLATION**

- We supply all the tarps, nets and accessories.
- Installation is performed by our dedicated team



Fast deployment of the cover



PRODUCTIVITY

Custom-made according to your needs



MADE TO MEASURE

POND COVERAGE NETS AND TARPS

The protection of water retention and leachate ponds

**PROTECTION**

- Protect the operating mechanisms.
- In the water depollution process on waste processing sites, it is important to protect ponds from external pollution which could clog the system : paper or plastic waste, animals, leaves, etc.

NET COVER

Installation of a mesh net over the entire pond attached to a cable around the edge. Prevents animals from entering the pond. Stops leaves and any waste which may fall into the water.
Different nets: anti-leaf, anti-bird, anti-animal, screen.

Ref. **COUV_DIV****WATERPROOF COVER**

Installation of a waterproof cover to stop rainwater entering the pond.
- floating covers : laid directly on the water and therefore no structure
- tarp with straps attached to foundations around the edge
- tarp on frame without central seam : free access for maintenance and dredging operations.

Ref. **COUV_DIV****TARPS**

- 100% waterproof tarp version : for total coverage of ponds to prevent rainwater from entering the pond, thus reducing the volumes of waste water to be processed.

SUPPLY & INSTALLATION

- We supply all the tarps, nets and accessories.
- Installation is performed by our dedicated team



Tarp version guaranteed 100% waterproof



WATERPROOF

Cost of processing waste water controlled and limited



SAVINGS

Custom-made according to your needs



MADE TO MEASURE

Ladders

Polyamide rope ladder

Rope ladder 12 mm. Ø.
White PE rungs Ø 25 mm.
Galvanised rings and thimble finish.

WIDTH 38cm every 33cm

Ref. **ECHELLEBXPE**

Rope ladder with varnished wood

Rope ladder 12 mm. Ø.
Varnished wood rungs Ø 30 mm.
Galvanised rings and thimble finish.

WIDTH 38cm every 33cm

Ref. **ECHELLEPP12**

Steel or stainless steel ladder

100% stainless steel cable ladder.
Stainless-steel rungs Ø 25 mm.
Galvanised rings and thimble finish.

WIDTH 33 cm every 33 cm

Ref. **ECHELLEINOX_INOX**

100% steel cable ladder.
Steel rungs Ø 25 mm.
Galvanised rings and thimble finish.

WIDTH 33 cm every 33 cm

Ref. **ECHELLEACIER_ACIER****Lifebelts**

"RING" TYPE LIFEBELT

Approved for pleasure boating according to the french Direction de la Mer.M. 385/99. 385/99. Eltex lifebelt with reflector strips.

Ref. **BOUEECOURONNE**

"U" OR "HORSESHOE" TYPE LIFEBELT

Flexibl expanded Ethafoam lifebelt covered in PVC.

Ref. **BOUEE16101**

LIFELINE FOR "RING" OR "HORSESHOE" LIFEBELT

400 kg regulatory lifeline.

Ref. **LIGNEJET**

STORAGE BAG

System to attach to vertical or horizontal bracket according to intended mounting.
600 g / m² PVC bag
Colours upon request
Fast velcro opening

Ref. **HOUSSEBOUEECOUR****Lifebelt racks**

STAINLESS-STEEL UNIVERSAL RACK

Can be installed flat, wall mounted or on straight or inclined tubes, diameter 22/25mm, using the swivelling nylon bracket provided for this purpose. Delivered with an elastic strap.

Ref. **SUPPORTBOUEE**

LIFEBELT RACK POST

Hot-dip galvanised steel tube + cap Hook to attach lifebelt. Tube of 30 x 30 cm.

MANUFACTURE Bevelled on both sides in the bottom part. 10 mm coiled steel wire for lifebelt.

Ref. **POTEAUBOUEE**

- Fastening method : Post to be sealed in concrete

Ref. **POTEAUBOUEEPLATINE**

- Fastening methos : Post on plate

Life Jacket

FOAM LIFE JACKET

Developped according to the new legislation ISO 12402/3.
Flexible expanded material, quick-release catch, very small size to facilitate storage.

BUOYANCY 150 NEWTONS



Whistle and reflective strips

Ref. **GILET.STD**

STORAGE BAG

System to attach to vertical or horizontal bracket according to intended mounting.
600 g / m² PVC bag
Colours upon request.
Fast velcro opening.

Ref. **HOUSSEGILET****Net for animals**

NET FOR ANIMALS

If animals fall into the ponds, they cannot climb up the smooth sides or use the ladders. It is therefore very common to find dead animals in the bottom of ponds. To avoid this, OTEXIO offers different types of mesh nets to install on several sides on the pond according to its size. These nets hang down to the waterline and offer animals in distress something they can grip to get out of the water and climb out of the pond.

Ref. **GRIMPER_PP12_250** + anchoring

Ladder for pond




CONTACT US



A team of OTEX'PERTS
here to help



ALL OVER THE WORLD	GERMANY	BENELUX
Augusto ARTEAGA Export Sales Manager +33 6 42 14 04 59 augusto.arteaga@otexio.com	Joseph BERTOLA Sales +49 151 6134 6332 joseph.bertola@otexio.com Philippe ZELL Sales +49 160 5950 718 philippe.zell@otexio.com	Hugo LORENZO Sales +33 7 89 31 45 14 hugo.lorenzo@otexio.com





OTEXIO

PROTECT PEOPLE
AND THE
ENVIRONMENT



WWW.OTEXIO.COM

8 Avenue Karl Marx 69 120
Vaulx-en-Velin France
Tel. : +33 (0)4 78 05 21 27
contact@otexio.com

