



OTEXIO

SLIDECOVER® DOUBLE OPENING

Creation date : 04/11/2019

Author : Remy Martin

Version : V.1

Update date:

Update purpose :

1 Table of contents

1. *Pliage de la bâche*..... 3

2. *Dépliage de la bâche*..... 3

The SLIDECOVER® must be securely closed with straps during transport and also when stationary in case of rain.

1. Folding the tarp

1. Unlock the ratchets and then detach the straps on the side to be pulled.
2. Throw the straps onto the tarp.
3. Detach the pull rope.
4. Detach the elastic cords from the sides of the dumpster.
5. Take the pull rope and position yourself on the other side of the dumpster.
6. Pass the rope over the corner brackets and position it on the white reinforcement.
7. Pull the rope to fold the tarp.
8. Secure the assembly by tying the rope around a cleat.

2. Unfolding the tarp

1. Detach the pull rope.
2. Position yourself on the other side of the dumpster while passing the rope between the corner brackets.
3. Pull the rope until the movable flap covers the dumpster and the straps are visible.
4. Place the straps in the ratchets and tighten the tarp (Be careful not to deform the steel tube by over-tightening the straps).
5. Tie the rope around the cleat.
6. Attach the elastic cords to the sides of the dumpster.

➔ The system is now locked and ready to go.